**Web**Results 1 - 10 of about 421,000 for **port c code java**. (0.55 seconds)**freshmeat.net: Welcome to freshmeat.net**

... **Ports** of Regina are available for most popular operating systems. ... of the program without having to edit the **code**. ... Being a 100% pure **Java** tool, the software can ...

www.freecode.com/ - 101k - May 17, 2004 - Cached - Similar pages

Sponsored Links**Free Java Code**

Visit our **Java** Knowledge Base
News, Q&As, Documents, and more
java.ittoolbox.com

[See your message here...](#)

Free C/C++ Libraries, Source Code and Frameworks(thefreecountry.

...
... is a library that eases the work needed to **port** Unix programs ... Source **code** is also available for download ... Versions are available for **C**, Fortran 77 and Fortran 90 ...

www.thefreecountry.com/sourcecode/cpp.shtml - Similar pages

Tru_to_Solaris Migration Tool for C/C++ Source Code

... Tru_to_Solaris Migration tool for C/C++ Source **Code** application is based on **Java** technology and is used to identify **porting** issues in C/C++ source **code** files. ...
developers.sun.com/prodtech/solaris/downloads/tru_to_solaris/ - 19k - May 17, 2004 - Cached - Similar pages

X-Designer Code Generation

... From a single design X-Designer can generate: **Java** **Code** C++ for Microsoft Windows (MFC) C++ for X/Motif Fully **portable** C UIL Ada 95 In addition Makefiles and ...

www.ist.co.uk/xd/codegen.html - 34k - Cached - Similar pages

A Java Environment for the Commodore

... The leJOS **code** is written in ANSI C and is very **portable** to ... This makes it an ideal candidate to **port** over to the 64kb Commodore 64. Phase One: c64 LUnix JVM. ...
www.mts.net/~kbagnall/commodore/java.html - 9k - Cached - Similar pages

JavaRPC - White Paper

To maintain full compatibility between Sun RPC and JavaRPC, it is important to **port** the original C **code** for Sun RPC directly to **Java** without major alterations. ...
netbula.com/javarpc/paper_short.html - 24k - Cached - Similar pages

Porting: Getting Started With Porting

... C allows you to integrate C++ and C **code** into Cocoa ... **Java**-Cocoa allows you to integrate some **Java** **code**. ... development kit (JDK), which makes **porting Java** **code** easy ...
developer.apple.com/referencelibrary/GettingStarted/GS_Porting/ - 16k - Cached - Similar pages

parallel port programming in C site:edu

... in c++ **java** download how **Java** Scripts wants parallel **port** programming in c site:edu tetris source **code** flew together firstly, free online **java** games face it,. ...
www.irissoundtrack.com/programming_x?free=p4&Color=starting&c=javascript - 11k - Cached - Similar pages

The answer to the question "Will Java remain 'open'?"

... is no **portable Java** way to do it. You will need to resort to writing **Java** native methods -- that is, C **code** which does the actual work. You write **Java** "wrappers" ...
www.javaworld.com/javaworld/jw-10-1996/jw-10-javaqa.html - 35k - Cached - Similar pages

BEST AVAILABLE COPY


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [New!](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 9 of about 14 for **runstaticinitializers()**. (0.38 seconds)

[J2ME-CDC-INTEREST archives -- October 2001 \(#4\)](#)

... lcdui.Font.<init>(III)V(Font.java:141) >> at javax.microedition.lcdui.Font.<clinit>()V(Font.java:371)
 >> at java.lang.Class.**runStaticInitializers()**V(Class ...

archives.java.sun.com/cgi-bin/wa?A2=ind0110&L=j2me-cdc-interest&F=&S=&P=432 - 13k - [Cached](#) - [Similar pages](#)

[J2ME-CDC-INTEREST archives -- August 2001 \(#67\)](#)

... lcdui.Font.<init>(III)V(Font.java:141) at javax.microedition.lcdui.Font.<clinit>()V(Font.java:371)
 at java.lang.Class.**runStaticInitializers()**V(Class.java:1499 ...
archives.java.sun.com/cgi-bin/wa?A2=ind0108&L=j2me-cdc-interest&F=&S=&P=7376 - 11k - [Cached](#) - [Similar pages](#)

[[More results from archives.java.sun.com](#)]

[The Guideline to Read Source Code of JavaTM 2 SDK, Standard ...](#)

... / [3.1.1.1.1.2.1.1.1.1] InitClass(ClassClass * cb) { LinkClass(cb); //

Find super class **RunStaticInitializers**(cb); [3.1.1.1.1.2.1.1.1.1 ...

www.cs.ualberta.ca/~lihang/jvm/Doc/read_jvm_1.2.2_src.txt - 29k - [Cached](#) - [Similar pages](#)

[Geocrawler.com - freebsd-java - awt app always abort when exit ...](#)

... 0x0, mb=0x828a130, isStaticCall=TRUE) > at ../../src/share/javavm/runtime/interpreter.c:427
 > #19 0x2819e01a in **RunStaticInitializers** (cb=0x28ef2228) > at ...

www.geocrawler.com/archives/3/162/2002/10/0/10020760/ - 17k - [Cached](#) - [Similar pages](#)

[Geocrawler.com - freebsd-java - awt app always abort when exit ...](#)

... signature=0x0, mb=0x828a130, isStaticCall=TRUE) at ../../src/share/javavm/runtime/interpreter.c:427
 #19 0x2819e01a in **RunStaticInitializers** (cb=0x28ef2228) ...

www.geocrawler.com/archives/3/162/2002/10/0/10020680/ - 19k - [Cached](#) - [Similar pages](#)

[[More results from www.geocrawler.com](#)]

[interpreter.h 1.119 98/02/10 * * Copyright \(c\) 1995, 1996 Sun ...](#)

... char *, bool_t resolve); ClassClass *FindClassFromClass(struct execenv *, char *,
 bool_t resolve, ClassClass *from); bool_t **RunStaticInitializers**(ClassClass *cb ...

www.mit.edu/afs/athena/software/java_v1.1.6/include.i386_linux3/interpreter.h - 21k - [Cached](#) - [Similar pages](#)

[Ugly fix patchset7 + XIM server\(was: patchset 7 crash under ...](#)

File Format: Unrecognized - [View as HTML](#)

... at ../../src/share/javavm/runtime/interpreter.c:427. >#23 0x28183046

in **RunStaticInitializers** (cb=0x28eedb88) at. >../../src ...

www.mail-archive.com/freebsd-current@freebsd.org/msg41528.html - [Similar pages](#)

[C-Funktionen zum Zugriff auf Java](#)

... JavaExecEnv *DefaultExecEnv; void InitializeInterpreter(void); bool_t ExecuteJava(unsigned
 char *, JavaExecEnv * ee); void **RunStaticInitializers**(ClassClass * cb ...

userpage.ukbf.fu-berlin.de/~hangloos/c_in_java/node121.html - 6k - [Cached](#) - [Similar pages](#)


[www.phenix.bnl.gov/phenix/WWW/online/netscape/netscape](#)

... invokeSynchronizedNativeMethod invokeLazyNativeMethod invokeAbstractMethod dynoLink
 newobject **RunStaticInitializers** InitializeInvoker SignalError adddec ...

101k - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 9 already displayed.

BEST AVAILABLE COPY

**Web**Results 1 - 10 of about 96 for **method.invoke() recursion**. (0.19 seconds)[package org.enhydra.xml.binding; import java.io.IOException ...](#)

... Object</code> is * converted into an XML element (in JDOM form), using **recursion** for any ... Get the value for this method try { Object o = **method.invoke**(obj, new ...

www-900.ibm.com/developerWorks/cn/java/data-binding4/Marshaller.html - 6k - Cached - Similar pages

[Sorting out Differences](#)

... returnValue = **method.invoke**(currentObject, parameterValues);. ... He also presents a version of QuickSort with **recursion** removed (see Resources). ...

www.fawcette.com/archives/premier/mgznarch/javapro/2001/04apr01/js0104/js0104.asp - 22k - Cached - Similar pages

[Bug 47213 - Inefficient recursion while initializing classpath ...](#)

... Inefficient **recursion** while initializing classpath container. ... invoke (DelegatingMethodAccessorImpl.java:25) at java.lang.reflect.**Method.invoke**(Method.java:324) ...

bugs.eclipse.org/bugs/show_bug.cgi?id=47213 - 44k - Cached - Similar pages

[Bug 43226 - Deadlock using 0916](#)

... invoke(DelegatingMethodAccessorImpl.java:25) at java.lang.reflect.**Method.invoke**(Method.java:324) ... is not restored properly when expanded to display the **recursion**. ...

bugs.eclipse.org/bugs/show_bug.cgi?id=43226 - 36k - Cached - Similar pages

[AAL parser](#)

... Problem left **recursion**. Left **recursion** results in not terminating loops: ... Resolution of **method invoke**, polymorphic functions, parameter matching.

www.artefaktur.com/acdk/modules/aal/docs/acdk_aal_concept_parser-en.html - 20k - Cached - Similar pages

[CSC 330 Lecture Notes Week 4](#)

... The method **Method.invoke** is the means to invoke a method through a method ... explicit branching, eg, goto; **recursion**, ie, recursively-defined functions. In practice ...

www.csc.calpoly.edu/~gfisher/classes/330/lectures/4.html - 27k - Cached - Similar pages

[Castor Development List: Re: \[castor-dev\] Problem with ...](#)

... DelegatingMethodAccessorImpl.java:25) at java.lang.reflect.**Method.invoke**(Method.java ... startElement Method in the UnmarshallerHandler, there's a **recursion** and he ...

hypermail.linklord.com/castor-dev/2004/Mar/3747.html - 10k - Cached - Similar pages

[CS125 - Summer 2001](#)

... **Recursion** is the mechanism of having a **method invoke** an instance of itself or, in other words, having a method send itself with differing parameters as a method ...

www.cen.uiuc.edu/~ksmall/teaching/cs125/week10.html - 5k - Cached - Similar pages

[\[PDF\] Selective Open Recursion: A Solution to the Fragile Base Class ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... but these idioms can also be expressed by having the public **method invoke** a protected ... so overriding them is useful only in the presence of open **recursion**. ...

www-2.cs.cmu.edu/~aldrich/papers/selective-open-recursion.pdf - Similar pages

[\[PDF\] Problem Set 6](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... public int invoke(); } In addition to its single nullary instance **method invoke**, each class ... 1 In the body of test-table, the **recursion**-defining sugar (let l ((l ...

cs.wellesley.edu/~cs251/ps6.pdf - Similar pages

BEST AVAILABLE COPY